

KENWOOD



FREEDOM THROUGH INNOVATION

Premium Mobile Entertainment Systems 2020

DMX – Smartphone Centric Receiver (Non DVD)

9 Introducing a Powerful 10.1 inch HD Display



DMX9720XS

▶ Page 4 - 7



8 Integrated USB Mirroring for both iPhone & Android™, Perfect Connectivity



200mm Wide Panel **DMX820WS**

▶ Page 5, 10



DMX8020S



7 USB Mirroring for both iPhone & Android™



200mm Wide Panel **DMX719WBT**

▶ Page 12



DMX7019BT



New 8 inch Capacitive Display with 230mm Panel



230mm Wide Panel

DMX820WXS

▶ Page 11

5 Basic Models with Apple CarPlay & Android Auto™



DMX5020S

▶ Page 13

DDX – AV Receiver (with DVD)

9 Wireless Smartphone Connections



200mm Wide Panel **DDX919WS**



DDX9019S

▶ Page 4, 5, 8



DNX9190S

▶ Page 4, 5, 9

DNX – Built-in Navigation, AV Receiver



8 Integrated USB Mirroring for both iPhone & Android™, Perfect Connectivity



200mm Wide Panel **DDX820WS**



DDX8020S



▶ Page 5, 10



200mm Wide Panel **DDX719WBT**



DDX7019BT



▶ Page 12



DNX5180S



▶ Page 5, 9

1 MPEG4 Playback up to 1920 x 1080p



DMX1025BT

▶ Page 14

4 High-Grade Audio with Bluetooth® Functionality



DDX419BT

▶ Page 13

9

DMX9720XS
DDX919WS / 9019S
DNX9190S



Introducing a Powerful 10.1 inch HD Display

10.1 inch

DMX9720XS adopts a 10.1 inch HD display providing room for more information that is large and easy to comprehend with just a glance.



High Definition — Overwhelming Power of Expression —

The KENWOOD 9 series features an electrostatic capacitive touch panel and HD 1280 x 720 pixel LCD panel with high luminance white LED backlight and superior wide viewing angles.


HD
1280x720
DISPLAY



DMX9720XS

Vivid Colors with High Contrast


Optical Clear Adhesive (OCA) is added between the touch screen and the LCD to eliminate the air layer and suppress light reflection and glare. This feature enhances the contrast and brightness and maintains the visibility of the display in various environments.



DDX919WS DDX9019S DNX9190S

Wider Viewing Angle — Beautiful from any seat —

The AAS system LCD panel assures you a wider viewing angle of 170° for both horizontal and vertical direction. Together with the protective film which minimizes reflection and glare from sunlight, you can enjoy clear images even from the passenger or back seats.




High-Resolution Audio

Capturing all the details, from your favorite artists' every breath, to the complex soundscape that surrounds them.

High-Resolution Audio is high-quality sound that far exceeds CD standards and can play 192kHz / 24bit audio files. It captures and beautifully expresses details and nuances from the ultra-high to low frequencies.

Hi-Res
AUDIO

Hi-Res
AUDIO
WIRELESS



LDAC

DMX9720XS

Hi-Res Audio Wireless

LDAC is an audio compression technology that enables High-Resolution Audio sources to be transmitted via Bluetooth. It is possible to transmit about 3 times the data amount compared to the conventional Bluetooth codec (SBC). High-Resolution Audio sources can be processed without down-converting them to lower frequencies and lower bit counts. With these features, unprecedented, high-quality audio is realized.

Playable Hi-Res Audio Files

Audio Codec	Playable up to
FLAC	192kHz / 24bit
WAV	192kHz / 24bit
DSD (DMX9720XS / DNX5180S only)	11.2MHz / 1bit

Perfect Match Complete your whole system with KENWOOD

Complete your whole sound system with the X series amplifiers and the speaker KFC-XS1704, which are designed for Hi-Res Audio. You can immerse yourself in a truly authentic listening experience of Hi-Res Audio.

See page 26 to 27 for details.



Audiophile Grade Sound Sound Tuning Technology


Time Alignment | 13-Band EQ | 3-Way X'over Mode

High Voltage 5.0V 3 Preouts (DNX5180S: 4.0V)

DMX9720XS

Parametric Equalizer

You can fine-tune advanced sound properties to achieve professional audio sound quality in your vehicle. It allows you to set parameters of Q factor, slope, frequency and gain at 14 points separately (Common: 9 / Front: 2 / Rear: 2 / Subwoofer: 1). With adjustments such as high and low shelving filters, more realistic sound can be delivered.



DMX9720XS DDX919WS DDX9019S DNX9190S

High Quality Audio Parts

To ensure the best possible sound quality, custom-made and carefully selected parts are used, such as audio quality power supply capacitors, high quality coupling capacitors and cross-shaped panel structures.

DMX9720XS
DDX919WS / 9019S
DNX9190S
DDX820WS / 8020S
DMX820WS / 8020S
DNX5180S

9

DMX9720XS




Wireless Smartphone Connections



Smartphone Centric (Non DVD)

DMX9720XS

10.1 inch HD Capacitive Display
AV Receiver




Works with Apple CarPlay

Wireless Apple CarPlay

Apple CarPlay via USB

Apple CarPlay gives iPhone users an intuitive way to make calls, use Maps, listen to music and access messages with just a word or a touch. With iOS 12.0 and higher, 3rd party navigation apps like Google Maps™ are also supported. Wireless connection is available on compatible iPhones.

Some features, applications and services are not available in every region. For details, see: www.apple.com/ios/feature-availability/#applecarplay-applecarplay



android auto

Android Auto via USB

Android Auto is a simple way to use your Android phone in the car. The KENWOOD receivers combine an intuitive voice controlled interface with a large touch screen and superior sound quality, allowing you to enjoy features including Google Maps and more.

Some features, applications and services are not available in every region. For details, see: www.android.com/auto/





Wireless Mirroring for Android

Wireless Mirroring is a groundbreaking solution for seamlessly displaying and controlling your smartphone apps on the receivers' large screen without cables or even a network connection. The feature is available on compatible Android phones.


Driving Widget Home Screen

The 10.1 inch home screen is composed of Driving Widget as well as Source Control Widget overlaid on the background. You can move the Driving Widget from side to side or enlarge the Source Control Widget to optimize the screen for your intuitive operation. The Driving Widget is selectable from clock, compass, equalizer setting, etc., while the background is selectable from album art, audio visualizer and photo.



Floating Panel Mechanism with 3-way Position Adjustment

The robust floating mechanism generates less vibration even on a rough road. It can be installed regardless of the size of the cluster panel opening. In addition, it is possible to adjust the position of the display in the following 3 ways, so you can fit a large screen in more vehicles.



Around View Monitoring Ready

Designed and manufactured by **E-LEAD**

The optional Around View Monitoring System KCA-2020AVM can be connected, assisting you in narrow parking spaces with a 360° bird's-eye view.



HD Rear / Front Camera Input

The optional CMOS-740HD camera can be connected to the rear or front camera inputs of the receiver, displaying the image in true HD 1280 x 720 pixels on the large screen.

See page 22 for details.




Advanced Camera Solutions

All for your comfort and safety

4 Camera Inputs

DMX9720XS features 4 camera inputs which allow for the utmost in convenience, flexibility and safety. You can connect a KENWOOD dash cam (DRV-N520 sold separately) (or a front camera), rear and blind view (left / right) cameras. Setting of camera type and display switching between 4 cameras can be operated easily via the receiver's large screen.

AV input is assignable as 4th camera input.



Dash Cam Link with DRV-N520

The optional dash cam DRV-N520 connects to DMX9720XS, easily enabling recorded videos to be displayed and operated from the large touch screen. Equipped with simplified ADAS, Advanced Driver Assistance System, and the latest accident avoidance technology.

See page 22 for details.



Bluetooth Music Mix – High Quality Audio Streaming x 5 devices

2-Phone Hands Free Calling Ready

HD Video Playable Full HD Video Files

Video Codec	Playable up to
MPEG4	1920 x 1080p
H.264	1920 x 1080p
MKV	1920 x 1080p
WMV	1920 x 1080p

USB sources are available on rear monitor via video output.

Steering Wheel Direct OEM Steering Remote Interface See page 14.

9

DDX919WS / 9019S
DNX9190S



200mm Wide Panel

DDX919WS

6.8 inch HD Capacitive Display AV Receiver



DDX9019S

6.8 inch HD Capacitive Display AV Receiver



DNX9190S

6.8 inch HD Capacitive Display AV Navigation



5

DNX5180S



DNX5180S

6.8 inch WVGA Clear-coated Resistive Display AV Navigation




Guidance by





With the industry leading Garmin navigation software, offering a variety of display options to make your driving easy such as Photo Real Junction View and Lane Assist.

All in One The Ultimate 3-Way Smartphone Integration



Wireless Apple CarPlay & Apple CarPlay via USB



Android Auto via USB





Wireless Mirroring for Android



Customizable Multi-Widget Home Screen

You can select 4 kinds of widgets from clock, album art of currently playing song, photos, audio visualizer, compass, turn-by-turn navigation (DNX9190S only), etc., place them in the specified spaces, and make your original home screen with up to 3 widgets.



Music Mix – High Quality Audio Streaming x 5 devices

Up to 5 Bluetooth devices can be paired to the receiver at the same time. You can enjoy audio streaming just by switching the devices among your friends.

2-Phone Hands Free Calling Ready

Automatically switch the paired 2 phones for incoming calls. Also includes better quality reception using the Wideband Speech Hands-free Profile ver.1.7.


Advanced Camera Solutions

Around View Monitoring Ready

Designed and manufactured by



The optional High Definition Around View Monitoring System PVM2018HD can be connected. The 360° bird's-eye view will assist you in narrow parking spaces.



AVM

Rear View



PVM2018HD



3 Camera Inputs

In addition to a rear camera and a KENWOOD dash cam (DRV-N520 sold separately) (or a front camera), a blind view (left / right) camera can be connected. It supports rear camera parking guideline.

AV input is assignable as 3rd camera input.

Dash Cam Link with DRV-N520

The optional dash cam DRV-N520 connects to the KENWOOD 9 series receivers, easily enabling recorded videos to be displayed and operated from the large touch screen.

See page 22 for details.



Apple CarPlay via USB

androidauto

Android Auto via USB



2-Phone Hands Free Calling & Audio Streaming



Dash Cam Link with DRV-N520 See page 22 for details.

DDX919WS / DDX9019S / DNX9190S / DNX5180S — COMMON FEATURES



Dual USB Ports

Play your music from one USB port and use the other to change your device.



Playable Full HD Video Files

Video Codec	Playable up to
MPEG4	1920 x 1080p
H.264	1920 x 1080p
MKV	1920 x 1080p
WMV	1920 x 1080p

USB sources are available on rear monitor via video output.



Direct OEM Steering Remote Interface

See page 14.

8

DDX820WS / 8020S
DMX820WS / 8020S



200mm Wide Panel

DDX820WS / DMX820WS Smartphone Centric (Non DVD)
7.0 inch WVGA Capacitive Display AV Receiver



DDX8020S / DMX8020S Smartphone Centric (Non DVD)
7.0 inch WVGA Clear-coated Resistive Display AV Receiver



Integrated USB Mirroring for both iPhone & Android, Perfect Smartphone Connectivity





USB Mirroring for both iPhone & Android


USB Mirroring displays your iPhone or Android phone on the large screen of KENWOOD receivers with impressive sound. You can even control your Android phone on the receivers' screen. Just install the free app "Mirroring for KENWOOD" on your smartphone and connect it with the receivers via USB and Bluetooth.



Apple CarPlay via USB




Android Auto via USB



DDX820WS DMX820WS

Capacitive Display

Full-flat clear glass display with swipe functionality.



Music Mix
— High Quality Audio Streaming x 5 devices
2-Phone Hands Free Calling Ready



Playable Full HD Video Files

Video Codec	Playable up to
MPEG4	1920 x 1080p
H.264	1920 x 1080p
MKV	1920 x 1080p
WMV	1920 x 1080p

USB sources are available on rear monitor via video output.



Around View Monitoring Ready

The optional Around View Monitoring System KCA-2020AVM can be connected.



3 Camera Inputs

for a rear camera, a dash cam DRV-N520 (or a front camera) and a blind view (left / right) camera
AV input is assignable as 3rd camera input.



RGB Navigation Interface

for 3rd party navigation unit



Direct OEM Steering Remote Interface

See page 14.

8

DMX820WXS

New 8 inch Capacitive Display with 230mm Panel



230mm Wide Panel

Smartphone Centric (Non DVD)
DMX820WXS
8 inch WVGA Capacitive Display AV Receiver



Apple CarPlay via USB

androidauto

Android Auto via USB

USB Mirroring for Android

Just download the app "Mirroring OA for KENWOOD" on your Android phone and connect it with the receiver via USB and Bluetooth.




Suitable for Selected Toyota Vehicles

Cluster panels to fit Toyota HiLux and Corolla Altis are separately sold.
SK-AP820HI Cluster Panel for DMX820WXS to fit Toyota HiLux (GUN185, 2015 -, Right Handle)
SK-AP820AL Cluster Panel for DMX820WXS to fit Toyota Corolla Altis (E170, 2014 - 2018, Right Handle)

Plug and Play


The rear panel connectors suitable for plug and play connection with selected Toyota vehicles.



* 2 types of steering remote control connectors for Toyota vehicles are supported. Please contact your local KENWOOD dealers for further information about installation and kits necessary for each vehicle model.

Universal Wiring Kit for Non-Toyota Vehicles

CA-AP820UN, the optional wiring kit to install DMX820WXS into non-Toyota vehicles is available.



Playable Full HD Video Files


Video Codec	Playable up to	Audio Codec	Playable up to
MPEG4	1920 x 1080p	FLAC	192kHz / 24bit
H.264	1920 x 1080p	WAV	192kHz / 24bit
MKV	1920 x 1080p		
WMV	1920 x 1080p		

USB sources are available on rear monitor via video output.

13-Band Equalizer & Time Alignment



Short Chassis Design



Hands Free Calling & Audio Streaming



Direct OEM Steering Remote Interface

See page 14.

7

DDX719WBT/7019BT
DMX719WBT/7019BT



200mm Wide Panel

DDX719WBT
DMX719WBT Smartphone Centric (Non DVD)
7.0 inch WVGA Capacitive Display AV Receiver




DDX7019BT
DMX7019BT Smartphone Centric (Non DVD)
7.0 inch WVGA Clear-coated Resistive Display AV Receiver



USB Mirroring for both iPhone & Android


USB Mirroring displays your iPhone or Android phone on the large screen of KENWOOD receivers with impressive sound. You can even control your Android phone on the receivers' screen. Just install the free app "Mirroring for KENWOOD" on your smartphone and connect it with the receivers via USB and Bluetooth.



DDX719WBT DMX719WBT

Capacitive Display

Full-flat clear glass display with swipe functionality.



Music Mix — High Quality Audio Streaming x 5 devices
2-Phone Hands Free Calling Ready

DMX719WBT DMX7019BT
Dual USB Ports

Playable Full HD Video Files

Video Codec	Playable up to	Audio Codec	Playable up to
MPEG4	1920 x 1080p	FLAC	96kHz / 24bit
H.264	1920 x 1080p	WAV	96kHz / 24bit
MKV	1920 x 1080p		
WMV	640 x 480p		

USB sources are available on rear monitor via video output.

Sound Tuning Technologies

TimeAlignment 13-Band EQ 3-Way X'over Mode
High Voltage 4.0V 3 Preouts

Around View Monitoring Ready

The optional Around View Monitoring System KCA-2020AVM can be connected.



Dual Camera Inputs
with parking guide lines

RGB Navigation Interface
for 3rd party navigation unit

Direct OEM Steering Remote Interface
See page 14.

5

DMX5020S




Smartphone Centric (Non DVD)
DMX5020S
6.8 inch WVGA Capacitive Display AV Receiver

Basic Models with Apple CarPlay & Android Auto via USB

Works with Apple CarPlay **androidauto**

USB Mirroring for Android

Just download the app "Mirroring OA for KENWOOD" on your Android phone and connect it with the receiver via USB and Bluetooth.



Playable Full HD Video Files

Video Codec	Playable up to	Audio Codec	Playable up to
MPEG4	1920 x 1080p	FLAC	192kHz / 24bit
H.264	1920 x 1080p	WAV	192kHz / 24bit
MKV	1920 x 1080p		
WMV	1920 x 1080p		

USB sources are available on rear monitor via video output.

13-Band Equalizer & Time Alignment

Hands Free Calling & Audio Streaming

Short Chassis Design Only 75mm of depth for more flexible installation


Direct OEM Steering Remote Interface See page 14.

4

DDX419BT



DDX419BT
6.2 inch WVGA Clear-coated Resistive Display AV Receiver



High Contrast Display
Viewing Angle Adjustment allows you to virtually adjust the viewing angle in 5 steps to make the screen easier to see.

High-Grade Audio with Bluetooth Functionality

KENWOOD Remote App Compatible
Download the app "KENWOOD Remote" to change AV sources or adjust audio settings like Time Alignment or 13-Band EQ from your smartphone.



Digital Time Alignment & 13-Band Equalizer

Bass Boost
reproduces deep bass sound. Adjustable in 5 steps.

Drive Equalizer
reduces the driving noise by raising specific frequencies.

High Voltage 4.0V 3 Preouts
Ready to expand your audio system? Use KENWOOD's amplifiers and speakers together to experience the core value of the brand.

Music Mix — High Quality Audio Streaming x 5 devices
2-Phone Hands Free Calling Ready

Dual Camera Inputs
with parking guidelines


Direct OEM Steering Remote Interface

See page 14.

RGB Navigation Interface for 3rd party navigation unit

1

DMX1025BT



Right-Side Key Layout

Smartphone Centric (Non DVD)
DMX1025BT
6.8 inch WVGA Capacitive Display
AV Receiver

MPEG4 Playback up to 1920 x 1080p


Video Codec	Playable up to	Audio Codec	Playable up to
MPEG4	1920 x 1080p	FLAC	192kHz / 24bit
H.264	1920 x 1080p	WAV	192kHz / 24bit
MKV	1920 x 1080p		

USB sources are available on rear monitor via video output.

13-Band Equalizer & Time Alignment

USB Mirroring for Android

Display and control your Android phone on a large screen of DMX1025BT with impressive sound quality. Just download the app "Mirroring OB for KENWOOD" on your Android phone and connect it with the receiver via USB and Bluetooth.



Hands Free Calling & Audio Streaming



Dash Cam Link

DMX1025BT can be connected with the optional dash cam DRV-MN1025 with front and rear cameras. Recorded videos can be displayed and operated from the large touchscreen of the receiver.
See page 22 for details.



6.8 inch Capacitive Display

Clear glass display with swipe functionality

Short Chassis Design

75mm



Direct OEM Steering Remote Interface

See below.



Direct OEM Steering Remote Control Connector Information for Japanese and Korean Vehicles

TOYOTA (20P)	TOYOTA (28P)	TOYOTA (26P)	TOYOTA (10P+6P)	HONDA (20P-A)	HONDA (20P-B)	HONDA (24P-A)	HONDA (24P-B)	NISSAN (16P-A)	NISSAN (20P)
Input 1: Green Input 2: Purple ST REMOTE GND: Gray	Input 1: Green Input 2: Purple ST REMOTE GND: Gray	Input 1: Green Input 2: Purple ST REMOTE GND: Gray	Input 1: Green Input 2: Purple ST REMOTE GND: Gray	Input 1: Green Input 2: NC ST REMOTE GND: Gray	Input 1: Green Input 2: NC ST REMOTE GND: Gray	Input 1: Green Input 2: Purple ST REMOTE GND: Gray	Input 1: Green Input 2: Purple ST REMOTE GND: Gray	Input 1: Green Input 2: Purple ST REMOTE GND: Gray	Input 1: Green Input 2: Purple ST REMOTE GND: Gray
NISSAN (16P-B)	MITSUBISHI (20P)	MAZDA (24P)	SUBARU (20P)	SUBARU (8P)	SUZUKI (20P)	ISUZU (16P)	HYUNDAI / KIA (24P-A)	HYUNDAI / KIA (24P-B)	
Input 1: Green Input 2: Purple ST REMOTE GND: Gray	Input 1: Green Input 2: NC ST REMOTE GND: Gray	Input 1: Green Input 2: NC ST REMOTE GND: Gray	Input 1: Green Input 2: NC ST REMOTE GND: Gray	Input 1: Green Input 2: NC ST REMOTE GND: Gray	Input 1: Green Input 2: Purple ST REMOTE GND: Gray	Input 1: Green Input 2: NC ST REMOTE GND: Gray	Input 1: Green Input 2: NC ST REMOTE GND: Gray	Input 1: Green Input 2: NC ST REMOTE GND: Gray	

The information for each vehicle above was investigated by JVCKENWOOD Asia Headquarters, and may not cover all of the connector types. Please contact your local KENWOOD dealers for details.


Location of Steering Remote Connector

If the vehicle is equipped with an OEM steering remote control, the steering remote connector is commonly located in the console.




How to view Steering Remote Connector

All steering wheel remote controls above are vehicle side connectors and drawn from the side. (view indicated by arrow)



Steering Remote Cable (included in the unit)

- 1) Look for a steering remote connector that is the same shape as in the image above in the console.
- 2) Connect "Input 1", "Input 2" and "ST REMOTE GND" to the pins shown in matching colors on the above list of connectors.
















SPEC COMPARISON CHART

	DMX9720XS	DDX919WS	DDX9019S	DNX9190S	DDX820WS
Built-in Navigation		—	—	Yes	—
DVD / CD Player	—	Yes	Yes	Yes	Yes
Display	Size / Number of Pixels	10.1" / 1280 x 720	6.8" / 1280 x 720	6.8" / 1280 x 720	6.8" / 1280 x 720
	Touch Panel Type	Capacitive	Capacitive	Capacitive	Capacitive
Built-in Wi-Fi	Yes	Yes	Yes	Yes	—
Apple CarPlay	Wireless & via USB	Wireless & via USB	Wireless & via USB	Wireless & via USB	via USB
Android Auto	via USB	via USB	via USB	via USB	via USB
Wireless Mirroring for Android	Yes	Yes	Yes	Yes	—
Smartphone Integration	USB Mirroring	—	—	—	for iPhone & Android
Bluetooth Hands Free Calling	2-Phone Hands Free	2-Phone Hands Free	2-Phone Hands Free	2-Phone Hands Free	2-Phone Hands Free
Bluetooth Audio Streaming	Music Mix (x 5 devices)	Music Mix (x 5 devices)	Music Mix (x 5 devices)	Music Mix (x 5 devices)	Music Mix (x 5 devices)
KENWOOD Remote App	—	—	—	—	—
Hands Free Microphone	External Microphone	External Microphone	External Microphone	External Microphone	External Microphone
USB Port	x 1	x 2	x 2	x 2	x 1
USB Interface	Video Decoder	MPEG1, 2, 4 / H.264 / MKV / WMV	MPEG1, 2, 4 / H.264 / MKV / WMV	MPEG1, 2, 4 / H.264 / MKV / WMV	MPEG1, 2, 4 / H.264 / MKV / WMV
	Audio Decoder	FLAC / WAV / DSD / MP3 / WMA / AAC	FLAC / WAV / MP3 / WMA / AAC	FLAC / WAV / MP3 / WMA / AAC	FLAC / WAV / MP3 / WMA / AAC
Audio	Hi-Res Audio Wireless	Yes / Yes	— / Yes	— / Yes	— / Yes
	Parametric EQ / Graphic EQ	Yes / 13 Band	— / 13 Band	— / 13 Band	— / 13 Band
	Time Alignment / 3-Way X'Over	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes
Preout	5.0V / 3 Preouts	5.0V / 3 Preouts	5.0V / 3 Preouts	5.0V / 3 Preouts	5.0V / 3 Preouts
HDMI Input	Yes	Yes	Yes	Yes	—
Around View Monitoring Ready	Yes (KCA-2020AVM)	Yes (PVM2018HD)	Yes (PVM2018HD)	Yes (PVM2018HD)	Yes (KCA-2020AVM)
Dash Cam Link	DRV-N520	DRV-N520	DRV-N520	DRV-N520	—
Peripheral Connectivity	Camera Input / AV Input / Video Output	x 4 ¹ / x 1 / x 1	x 3 ² / x 1 / x 1	x 3 ² / x 1 / x 1	x 3 ² / x 1 / x 1
	HD Camera Input	Yes (Rear / Front)	—	—	—
Direct OEM Steering Remote Control	Yes	Yes	Yes	Yes	Yes
Navigation RGB Input	—	Yes ³	Yes ³	—	Yes

*1: AV input is assignable as 4th camera input. *2: AV input is assignable as 3rd camera input. *3: Not available in Indonesia.

SPEC COMPARISON CHART

	DMX820WS	DDX8020S	DMX8020S	DMX820WS	DDX719WBT	DMX719WBT	DDX7019BT	DMX7019BT	DNX5180S	DMX5020S	DDX419BT	DMX1025BT	
	 200mm Wide Panel			 8 inch 230mm Wide Panel									
Built-in Navigation		—	—	—	—	—	—	—	Yes	—	—	—	
DVD / CD Player	—	Yes	—	—	Yes	—	Yes	—	Yes	—	Yes	—	
Display	Size / Number of Pixels	7.0" / 800 x 480	7.0" / 800 x 480	7.0" / 800 x 480	8.0" / 800 x 480	7.0" / 800 x 480	7.0" / 800 x 480	7.0" / 800 x 480	6.8" / 800 x 480	6.8" / 800 x 480	6.2" / 800 x 480	6.8" / 800 x 480	
	Touch Panel Type	Capacitive	Clear-coated Resistive	Clear-coated Resistive	Capacitive	Capacitive	Capacitive	Clear-coated Resistive	Clear-coated Resistive	Clear-coated Resistive	Capacitive	Clear-coated Resistive	Capacitive
Smartphone Integration	Built-in Wi-Fi	—	—	—	—	—	—	—	—	—	—	—	
	Apple CarPlay	via USB	via USB	via USB	via USB	—	—	—	via USB	via USB	—	—	
	Android Auto	via USB	via USB	via USB	via USB	—	—	—	via USB	via USB	—	—	
	Wireless Mirroring for Android	—	—	—	—	—	—	—	—	—	—	—	
	USB Mirroring	for iPhone & Android	for iPhone & Android	for iPhone & Android	for Android	for iPhone & Android	for iPhone & Android	for iPhone & Android	for iPhone & Android	—	for Android	—	for Android
	Bluetooth Hands Free Calling	2-Phone Hands Free	2-Phone Hands Free	2-Phone Hands Free	Yes	2-Phone Hands Free	2-Phone Hands Free	2-Phone Hands Free	2-Phone Hands Free	2-Phone Hands Free	Yes	2-Phone Hands Free	Yes
	Bluetooth Audio Streaming	Music Mix (x 5 devices)	Music Mix (x 5 devices)	Music Mix (x 5 devices)	Yes	Music Mix (x 5 devices)	Music Mix (x 5 devices)	Music Mix (x 5 devices)	Music Mix (x 5 devices)	Yes	Yes	Music Mix (x 5 devices)	Yes
	KENWOOD Remote App	—	—	—	—	—	—	—	—	—	—	Yes	—
Hands Free Microphone	External Microphone	External Microphone	External Microphone	External Microphone	External Microphone	External Microphone	Built-in	Built-in	External Microphone	External Microphone	Built-in	External Microphone	
USB Interface	USB Port	x 1	x 1	x 1	x 1	x 2	x 1	x 2	x 2	x 1	x 1	x 1	
	Video Decoder	MPEG1, 2, 4 / H.264 / MKV / WMV	MPEG1, 2, 4 / H.264 / MKV / WMV	MPEG1, 2, 4 / H.264 / MKV / WMV	MPEG1, 2, 4 / H.264 / MKV / WMV	MPEG1, 2, 4 / H.264 / MKV / WMV	MPEG1, 2, 4 / H.264 / MKV / WMV	MPEG1, 2, 4 / H.264 / MKV / WMV	MPEG1, 2, 4 / H.264 / MKV / WMV	MPEG1, 2, 4 / H.264 / MKV / WMV	MPEG1, 2, 4 / H.264 / MKV / WMV	MPEG1, 2, 4 / H.264 / MKV / WMV	
	Audio Decoder	FLAC / WAV / MP3 / WMA / AAC	FLAC / WAV / MP3 / WMA / AAC	FLAC / WAV / MP3 / WMA / AAC	FLAC / WAV / MP3 / WMA / AAC	FLAC / WAV / MP3 / WMA / AAC	FLAC / WAV / MP3 / WMA / AAC	FLAC / WAV / MP3 / WMA / AAC	FLAC / WAV / MP3 / WMA / AAC	FLAC / WAV / DSD / MP3 / WMA / AAC	FLAC / WAV / MP3 / WMA / AAC	FLAC / WAV / MP3 / WMA / AAC	
Audio	Hi-Res Audio Wireless	— / Yes	— / Yes	— / Yes	— / —	— / —	— / —	— / —	— / Yes	— / —	— / —	— / —	
	Parametric EQ / Graphic EQ	— / 13 Band	— / 13 Band	— / 13 Band	— / 13 Band	— / 13 Band	— / 13 Band	— / 13 Band	— / 13 Band	— / 13 Band	— / 13 Band	— / 13 Band	
	Time Alignment / 3-Way X'Over	Yes / Yes	Yes / Yes	Yes / Yes	Yes / —	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / —	Yes / —	Yes / —	
	Preout	5.0V / 3 Preouts	5.0V / 3 Preouts	5.0V / 3 Preouts	4.0V / 2 Preouts & Subwoofer out	4.0V / 3 Preouts	4.0V / 3 Preouts	4.0V / 3 Preouts	4.0V / 3 Preouts	4.0V / 3 Preouts	2.0V / 2 Preouts & Subwoofer out	4.0V / 3 Preouts	2.0V / 2 Preouts & Subwoofer out
Peripheral Connectivity	HDMI Input	—	—	—	—	—	—	—	—	—	—	—	
	Around View Monitoring Ready	Yes (KCA-2020AVM)	Yes (KCA-2020AVM)	Yes (KCA-2020AVM)	—	Yes (KCA-2020AVM)	Yes (KCA-2020AVM)	Yes (KCA-2020AVM)	Yes (KCA-2020AVM)	—	—	—	
	Dash Cam Link	—	—	—	—	—	—	—	—	—	—	—	
	Camera Input / AV Input / Video Output	x 3 ² / x 1 / x 1	x 3 ² / x 1 / x 1	x 3 ² / x 1 / x 1	x 1 / x 1 / x 1	x 2 / x 1 / x 1	x 2 / x 1 / x 1	x 2 / x 1 / x 1	x 2 / x 1 / x 1	x 2 / x 1 / x 1	x 1 / x 1 / x 1	x 2 / x 1 / x 1	x 1 / x 1 / x 1
	HD Camera Input	—	—	—	—	—	—	—	—	—	—	—	
	Direct OEM Steering Remote Control	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Navigation RGB Input	Yes	Yes	Yes	—	Yes ³	Yes ³	Yes ³	Yes ³	—	—	Yes ³	—	

*2: AV input is assignable as 3rd camera input. *3: Not available in Indonesia.

ALL FOR YOUR SAFETY AND PEACE OF MIND

A Large Selection of KENWOOD Dash Cam & Rear / Front Cameras


Front & Rear Recording Dash Cam with Wireless LAN Capabilities

DRV-A700W DRV-A501W

Front & Rear 2 Camera Recording with Ultra-Wide Viewing Angle

Adding the optional rear camera (KCA-R100) to DRV-A700W / A501W gives you the visual awareness needed to help avoid rear-end collisions. With 2 cameras it is possible to record front and rear images simultaneously, covering a wide range in Full HD.

Diagonal 161°



Diagonal
DRV-A700W: 154°
DRV-A501W: 126°



Rear (KCA-R100)



Front (DRV-A700W / A501W)


DRV-A700W DRV-A501W

Wide Quad HD Recording — 1.8 times as many pixels as Full HD —

With its 3.7 megapixel CMOS sensor, DRV-A700W / A501W captures Wide Quad HD video at 30fps, 1.8 times as many pixels as Full HD, making super-high resolution recording and replay possible.


*By connecting the optional rear camera (KCA-R100) it is possible to record front and rear directions simultaneously, both in Full HD quality.

Full HD 2 Megapixel



1920 x 1080p

WQHD 3.7 Megapixel




2560 x 1440p



DRV-A700W DRV-A501W DRV-A301W

Wireless Smartphone Link (Wireless LAN)

The KENWOOD DASH CAM MANAGER app allows you to easily change the menu settings of your dash cam and browse through recorded videos as well as access the realtime live view from your smartphone in an intuitive way. By downloading the video / photo files into your smartphone, you can even review them while routing on Google Maps with the GPS information such as speed, G-sensor and distance, and edit the videos to share them on social media. Download the app from App Store (iOS) or Google Play (Android) on your smartphone.



Video Playback

GPS Information with Google Maps

Sharing Videos

DRV-A700W DRV-A501W DRV-A301W DRV-A201

Quick Release Magnetic Mount

The patent-designed magnetic mount, unlike the traditional mounts which use a latching mechanism, allows you to place and remove the device simply and instantly. No cable required to connect or disconnect from the dash cam.



2-CAMERA DASH CAM



Accessories: 16GB microSD Card / Polarizer Filter / Cigarette Lighter Adapter Cable / Mount Bracket

3.0 inch Full Color LCD Touch Screen

DRV-A501W

Built-in Wireless LAN, WQHD Dash Cam



DRV-A700W

Built-in Wireless LAN, WQHD Dash Cam



Accessories: 16GB microSD Card / Polarizer Filter / Hardwire Kit (CA-DR1030) / Mount Bracket

Adjustable Angle (-90° to +40°)

The Adjustable Angle gives you total flexibility and provides a proper view for various angles of the windshield.



180° Rotational Lens

The 180° Rotational Lens gives you total flexibility and provides a proper view for various angles of the rear window.

KCA-R100

Optional Rear Camera for DRV-A700W / A501W



Accessories: 8m Mini USB Cable

BUILT-IN WIRELESS LAN DASH CAM



Accessories: 16GB microSD Card / Cigarette Lighter Adapter Cable / Mount Bracket

DRV-A301W

Built-in Wireless LAN, Full HD Dash Cam with 2.7 inch Full Color LCD Screen



FULL HD RECORDING



Accessories: 16GB microSD Card / Cigarette Lighter Adapter Cable / Mount Bracket

DRV-A201

Full HD Dash Cam with 2.7 inch Full Color LCD Screen



LIMITED DISTRIBUTION MODEL



Accessories: Cigarette Lighter Adapter Cable / Mount Bracket

DRV-W440

Built-in Wireless LAN, Full HD Dash Cam with 2.7" Full Color LCD Screen



Wireless Smartphone Link (Wireless LAN)

The KENWOOD DRV Link app is an integrated application that allows you to view, share and back up the videos recorded on your dash cam via wireless LAN. Download the app from App Store (iOS) or Google Play (Android) on your smartphone.




COMMON ADVANCED FEATURES

DRV-A700W | DRV-A501W

Bright Lens — Industry-leading brightness —

DRV-A501W features the F1.6 lens, which boasts industry-leading brightness, and DRV-A700W features the F1.8 lens. You can record clear images even when driving at night or in tunnels.




DRV-A700W | DRV-A501W

Polarizer Filter

— Reduces Front Windscreen Reflection —

DRV-A700W / A501W include a Polarizer Filter. This reduces such things as dashboard reflection on the windscreen, which may appear in certain positions or due to weather conditions, and helps to lessen glare on sunny days, making it possible to record clear outside images.



without Polarizer Filter



with Polarizer Filter

DRV-A700W | DRV-A501W | DRV-A301W

HDR (High Dynamic Range)

— Reducing “Blown out Highlights” and “Crushed Blacks” —

HDR helps to reduce “blown out highlights” and “crushed blacks” and ensure clear images in challenging environments, including backlit scenes in daylight, streetlight scenes at night and places where light-dark contrast is particularly severe, such as at tunnel entrances/exits.

DRV-A700W / A501W: Front camera switches to WDR (Wide Dynamic Range) when rear camera is connected.



without HDR



with HDR

DRV-A301W | DRV-A201 | DRV-W440

2 Megapixel Full HD Recording

DRV-A301W / A201 / W440 capture Full HD video at 30fps, making it possible to record and replay in even greater detail, including vehicle license plate numbers and road signs.



Difficult to see license plate numbers...



...are replayed in great clarity.

DRV-A700W | DRV-A501W | DRV-A301W | DRV-A201 | DRV-W440

3-axis G Sensor & GPS Receiver

The built-in 3-axis G Sensor with adjustable sensitivity detects an outside force, forcing the device to save what has just been recorded. In addition, the GPS Receiver allows your videos to add location and speed data.

DRV-W440 does not include a built-in GPS receiver.



The 3-axis G Sensor detects an outside force.

DRV-A700W | DRV-A501W | DRV-A301W | DRV-A201 | DRV-W440

Smart Parking Mode

When your vehicle is parked and turned off, the Smart Parking Mode becomes active. If your vehicle is close to a potential collision or other physical impacts, your dash cam powers on thanks to the built-in G-Sensor and automatically records 30 seconds of video. The optional hardwire kit CA-DR1030 (for DRV-A501W / A301W / A201) or CA-DR150 (for DRV-W440) is required for permanent power.

DRV-A700W | DRV-A501W | DRV-A301W | DRV-A201

Super Capacitor (Backup Battery)


This prevents the video file being recorded from being corrupted if power is lost due to a collision or other physical impacts, as it provides enough power to allow the file to save properly.



DRV-A501W | DRV-A301W | DRV-A201

2 Ways to Mount

A suction-cup and an adhesive mount are included in the package. The suction mount makes it easier to attach and detach from the windshield while the adhesive mount provides more solid support for the camera.



Suction-cup



Adhesive Mount

HARDWARE KIT FOR SMART PARKING MODE



CA-DR1030

Hardware Kit for DRV-A501W / A301W / A201

- The 4m long cable can help you to easily tuck and hide the car power cable into the headliner.
- Supplied with 3 types of Amp Fuses for simple connection of power supply.

SPEC COMPARISON CHART

	DRV-A700W	DRV-A501W	DRV-A301W	DRV-A201	DRV-W440	KCA-R100	DRV-N520	DRV-MN1025	
Rear Camera	KCA-R100 (Optional)	KCA-R100 (Optional)	—	—	—	—	—	Included	
Wireless LAN (Wireless Smartphone Link) *1	Built-in	Built-in	Built-in	—	Built-in	—	—	—	
Screen	—	3.0" Full Color TFT Touch Screen	2.7" Full Color TFT	2.7" Full Color TFT	2.7" Full Color TFT	—	—	—	
Dash Cam Link	—	—	—	—	—	—	Yes (with Compatible KENWOOD AV Receivers)	Yes (with DMX1025BT)	
Camera	Image Sensor	1/2.8 Color CMOS Sensor	1/2.8 Color CMOS Sensor	1/2.8 Color CMOS Sensor	1/2.7 Color CMOS Sensor	1/2.7 Color CMOS Sensor	1/3 Color CMOS Sensor	1/2.8 Color CMOS Sensor	
	Viewing Angle (Diagonal / Horizontal / Vertical)	154° / 114° / 82°	126° / 126° / 110°	136° / 115° / 61°	136° / 115° / 61°	114° / 98° / 52°	161° / 129° / 66°	128° / 117° / 63°	140° / 109° / 58°
	Lens (F-number)	F1.8	F1.6	F1.8	F1.8	F2.0	F2.0	F2.0	
	Recording Resolution	WQHD (2560 x 1440p) *2 3.7M Pixels	WQHD (2560 x 1440p) *2 3.7M Pixels	Full HD (1920 x 1080p) 2M Pixels	Full HD (1920 x 1080p) 2M pixels	Full HD (1920 x 1080p) 2M pixels	Full HD (1920 x 1080p) 2M Pixels	2304 x 1296p 3M Pixels	Full HD (1920 x 1080p) 2M pixels
	Frame Rate	30fps	30fps	30fps	30fps	30fps	30fps	27fps	30fps
	HDR / WDR	HDR	HDR	HDR	—	WDR	—	HDR	WDR
Recording	G-sensor / GPS	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / —	—	Yes / —	
	Recording Mode	Continuous / Manual / Event / Parking / Still Image	Continuous / Manual / Event / Parking *3 / Still Image	Continuous / Manual / Event / Parking *3 / Still Image	Continuous / Manual / Event / Parking *3 / Still Image	Continuous / Manual / Event / Parking *3 / Still Image	—	Continuous / Manual / Event / Parking / Still Image	Normal / Event / Parking / Still Image
	Voice Recording (Mic & Speaker)	Yes (ON / OFF)	Yes (ON / OFF)	Yes (ON / OFF)	Yes (ON / OFF)	Yes (ON / OFF)	—	Yes (ON / OFF)	Yes (ON / OFF)
	Recording Media	microSDXC / SDHC Card 8GB - 256GB, Class10	microSDXC / SDHC Card 8GB - 256GB, Class10	microSDXC / SDHC Card 8GB - 256GB, Class10	microSDXC / SDHC Card 8GB - 128GB, Class10	microSDHC Card 4GB - 128GB, Class10 or higher	—	microSDHC Card 8GB - 32GB, Class10 or higher	microSD Card 16GB - 256GB, Class10 or higher
	File Format	MOV	MOV	MP4	MP4	MP4	—	MOV	MP4
	Video / Audio / Picture Format	H.264 / Linear PCM / JPEG	H.264 / Linear PCM / JPEG	H.264 / Linear PCM / JPEG	H.264 / Linear PCM / JPEG	H.264 / Linear PCM / JPEG	—	H.264 / Linear PCM / JPEG	H.264 / AAC / JPEG
Other Features	Quick Release Magnetic Mount	Yes	Yes	Yes	Yes	—	—	—	
	Simplified ADAS Function	—	—	—	—	—	—	Yes	
	Super Capacitor (Backup Battery)	Built-in	Built-in	Built-in	Built-in	—	—	Built-in	
	PC Viewer Software	KENWOOD VIDEO PLAYER	KENWOOD VIDEO PLAYER	KENWOOD VIDEO PLAYER	KENWOOD VIDEO PLAYER	KENWOOD ROUTE WATCHER II	—	KENWOOD DRIVE REVIEWER	—
Dimensions (W x H x D) (Main Unit)	90 x 61.3 x 39.2mm	106 x 50.5 x 40.5mm	92 x 46 x 37mm	88 x 51 x 37.5mm	84 x 52 x 31mm	63 x 66 x 36mm	79 x 22 x 48mm	(Front) 54 x 26 x 71 mm (Rear) 62 x 42 x 40mm	
Weight (Main Unit)	98g	102g	82g	78g	74g	334g	77g	(Front) 93.3g / (Rear) 58.0g	
Bundled Accessories	microSD Card	Yes (16GB)	Yes (16GB)	Yes (16GB)	Yes (16GB)	—	—	Yes (8GB)	
	Polarizer Filter	Yes	Yes	—	—	—	—	—	
	Power Cord	Hardwire Kit (CA-DR1030)	Cigarette Lighter Adaptor Cable	Cigarette Lighter Adaptor Cable	Cigarette Lighter Adaptor Cable	Cigarette Lighter Adaptor Cable	—	Hardwire Type	
	Mount Bracket	Suction-cup Adhesive Mount	— Yes	— Yes	— Yes	— Yes	— Yes	— Yes	— Yes

*1: The smartphone app "KENWOOD DASH CAM MANAGER" (DRV-A700W / A501W / A301W) or "KENWOOD DRV Link" (DRV-W440) needs to be downloaded from App Store (iOS) or Google Play (Android) on your mobile device.

*2: When connected with the rear camera KCA-R100, recording resolution is Full HD (1920 x 1080p) for both front and rear.

*3: To enable the Parking Mode recording, the optional hardwire kit CA-DR1030 (for DRV-A501W / A301W / A201) or CA-DR150 (for DRV-W440) needs to be connected to a permanent power supply.

RECORDING TIMES

	DRV-A700W	DRV-A501W	DRV-A301W	DRV-A201	DRV-W440	DRV-N520	DRV-MN1025
Recording Quality (at Default Settings)	WQHD (2560 x 1440p)	WQHD (2560 x 1440p)	Full HD (1920 x 1080p)	Full HD (1920 x 1080p)	Full HD (1920 x 1080p)	Full HD (1920 x 1080p)	Full HD (1920 x 1080p)
	4GB	—	—	—	38 min.	—	—
	8GB	47 min.	47 min.	60 min.	60 min.	79 min.	70 min.
	16GB	94 min.	94 min.	120 min.	120 min.	160 min.	140 min.
	32GB	141 min.	141 min.	240 min.	240 min.	320 min.	280 min.
	64GB	376 min.	376 min.	480 min.	480 min.	640 min.	—
microSD Card Capacity	128GB	752 min.	960 min.	960 min.	1280 min.	—	480 min.
	256GB	1504 min.	1504 min.	1920 min.	—	—	960 min.

The above recording times are the totals (maximums) for continuous recordings, manual recordings, event recordings and parking recordings. The recording times are estimates. They may become shorter depending on the recording scene.

REAR / FRONT CAMERA

	CMOS-740HD	CMOS-320	CMOS-130
Image Sensor	1/3.8 Color CMOS Sensor	1/3.6 Color CMOS Sensor	1/4 Color CMOS Sensor
Number of Pixels	1.3M pixels	330,000 pixels	380,000 pixels
Viewing Angle (Horizontal / Vertical)	180° / 103°	195° / 103°	129° / 104°
Lens (F-number)	F2.0	F2.0	F2.2
Weight (Main Unit)	33.2g	23g	21g

DASH CAM LINK with Compatible KENWOOD AV Receivers Direct Control from Large Touchscreen

DRV-N520 and DRV-MN1025 connect to compatible KENWOOD AV receivers, easily enabling recorded videos to be displayed and operated from the receiver's large touchscreen.



DMX1025BT

DRV-MN1025


Front & Rear Camera, Full HD Dash Cam (linked with DMX1025BT)



Accessories: Power Cord / Mount Bracket


Front & Rear Switchable on a Large Touchscreen

Recorded videos displayed on a large touchscreen of DMX1025BT are switchable between front camera and rear camera by simply selecting icons on the touchscreen.



Front & Rear Full HD Recording at 30fps with Ultra-wide Viewing Angle

With its 2 cameras DRV-MN1025 can record front and rear images simultaneously and in Full HD. Both front and rear cameras also feature an ultra-wide viewing angle lens with a horizontal angle of 109°, vertical angle of 58°, and diagonal angle of 140°, making it possible to capture information at wide ranges without missing anything.



DRV-N520

Full HD Dash Cam with Simplified ADAS



Accessories: 8GB microSD Card / Power Cord / Mount Bracket

Touch Control

DRV-N520 connects to compatible KENWOOD AV receivers, easily enabling recorded videos to be displayed and operated from the receiver's large touchscreen.




3 Megapixel Recording (2304 x 1296p)

DRV-N520 provides higher resolution than Full HD (1920 x 1080p).

Simplified ADAS Functionality

Equipped with Simplified ADAS, Advanced Driver Assistance System, the latest accident avoidance sensor technology.

*The ADAS function is for providing driving support to drivers and not for preventing accidents. It does not provide notifications of all hazards.



Lane Departure Warning

Forward Collision Warning

HDR (High Dynamic Range)

— Reducing "Blown out Highlights" and "Crushed Blacks" —

REAR / FRONT CAMERA



HD Rear Camera Realizing High-Definition Imaging

The 180° horizontal wide-angle image is displayed on the receiver in HD image quality. With this camera, you can park safely with an easy view of the rear. CMOS-740HD can be connected to DMX9720XS. Thanks to HD-TVI technology, HD videos can be transmitted and displayed on the HD display of the receivers using an analog RCA cable.



HDR (High Dynamic Range)


— Reducing "Blown out Highlights" and "Crushed Blacks" —

HDR helps to reduce "blown out highlights" and "crushed blacks" and ensure clear images in challenging environments, including backlit scenes in daylight, streetlight scenes at night and places where light-dark contrast is particularly severe.




Protection Against Both Dust and Water

Rest assured with the IP67 certified protection that allows the camera to be installed safely outside of the vehicle, even in wet or dusty environments.



Display View Switching

CMOS-320 can display 4 kinds of camera images thanks to its wide-angle lens and advanced image processor.



Wide View

Ultra Wide View

Overhead View

Corner View


New Dual DIN Audio

Distinctive Volume Knob & Flush Surface Panel

CD RECEIVER



Direct Bluetooth Control



Hands Free Key:
Answering and making a call




Audio Streaming Key:
Entering Bluetooth Audio source

USB / CD Receiver

DPX-5200BT

3.5V / 3 Preouts

Made for iPhone | iPod



Direct OEM Steering Remote Control
See page 14.

DIGITAL MEDIA RECEIVER

For Customers who do not play back CDs.




USB Receiver

DPX-M3200BT

2.5V / 2 Preouts

Made for iPhone | iPod



Direct OEM Steering Remote Control
See page 14.

Brighter LCD with Sharp Contact

2 low-duty LCD drivers improve LCD performance under whichever lighting condition including direct sunlight. Also, closer gap between LCD and front glass makes the appearance more attractive.



3-Zone Multi-color Illumination



200mm Trim Plate included



Bluetooth Feature Set

KENWOOD Remote App Compatible

Download the app "KENWOOD Remote". You can change audio sources or adjust audio settings like Time Alignment or 13-Band EQ from your smartphone.



Music Mix

— High Quality Audio Streaming x 5 devices

Up to 5 Bluetooth devices can be paired to the receiver at the same time. You can enjoy audio streaming just by switching the devices among your friends.


2-Phone Hands Free Calling Ready

Automatically switch the paired 2 phones for incoming calls.



Unique equalizer setting to provide powerful bass

Sound Tuning Technologies



High Voltage 3.5V 3 Preouts

(DPX-5200BT only)

Playable USB Files

Audio Codec	Playable up to
FLAC	96kHz / 24bit
WAV	44.1kHz / 16bit
AAC	96kHz / 320kbps
MP3	48kHz / 320kbps
WMA	48kHz / 192kbps

USB Quick Charge

Max 1.5A quick charge for selected Android, 1.0A charge for iPhone.

Bluetooth Audio

Signature Panel Design with Direct Control Keys

CD RECEIVER




USB / CD Receiver
KDC-BT640U
3.5V / 3 Preouts
Made for iPhone | iPod

DIGITAL MEDIA RECEIVER



USB Receiver
KMM-BT306
3.5V / 3 Preouts
Made for iPhone | iPod

Direct Bluetooth Control



Hands Free Key:
Answering and making a call

Audio Streaming Key:
Entering Bluetooth Audio source

Bluetooth Feature Set

KENWOOD Remote App Compatible

Music Mix — High Quality Audio Streaming x 5 devices
2-Phone Hands Free Calling Ready



Sound Tuning Technologies

Time Alignment | **13 - Band EQ** | **3 - Way X'over Mode**

3.5V 3 Preouts

Playable USB Files

Audio Codec	Playable up to
FLAC	96kHz / 24bit
WAV	44.1kHz / 16bit
AAC	96kHz / 320kbps
MP3	48kHz / 320kbps
WMA	48kHz / 192kbps

USB Quick Charge

Max 1.5A quick charge for selected Android, 1.0A charge for iPhone.

Entry-class USB Audio

CD RECEIVER



USB / CD Receiver
KDC-230UI
2.5V / 2 Preouts
Made for iPhone | iPod

DIGITAL MEDIA RECEIVER



USB Receiver
KMM-204
2.5V / 2 Preouts
Made for iPhone | iPod

Playable USB Files

Audio Codec	Playable up to
FLAC	48kHz / 16bit
WAV	44.1kHz / 16bit
MP3	48kHz / 320kbps
WMA	48kHz / 192kbps

Direct Control



Color Setting Key: Easy to change illumination color

EQ Setting Key: Select from 8 preset EQ including DRIVE EQ

ACCESSORIES



CAX-HL10Q!

Qi Wireless Charging Car Mount

- 15W Fast Charging
- Motorized Clamp & Infrared Sensor Lock
- One-Touch Release
- Ability to unlock / lock while an engine is turned off
- Multiple Mounts Included (Air Vent Mount / Suction Cup Mount / Dashboard Mounting Plate)

SPECIFICATIONS

Input	DC 5V / 3A, 9V / 2A, 12V / 1.5A
Power	15W / 10W / 7.5W / 5W
Dimensions (W x H x D)	69.8 x 123.0 x 65.9mm



CAX-CH20

USB Car Charger with 5 ports for Front / Rear Seats

- USB Type-A x 4 ports (5V / 2.4A Max)
- USB Type-C x 1 port (5V / 3A Max)
- Work with 12V / 24V
- 1.5m Cable
- 1.5m cable is available to send the separated charger to rear or back side of front seat.

SPECIFICATIONS

Front Output	Total	4.2A Max
USB Type-A	(5V / 2.4A) x 2 ports	
Rear Output	Total	6A Max
USB Type-A	(5V / 2.4A) x 2 ports	
USB Type-C	(5V / 3A) x 1 port	

LINEUP COMPARISON

BLUETOOTH AUDIO	DPX-5200BT	DPX-M3200BT	KDC-BT640U	KMM-BT306
Built-in Bluetooth	2-Phone Hands Free Calling / Music Mix (x 5 devices) / KENWOOD Remote App			
CD Player	Yes	—	Yes	—
USB Port	x 1	x 1	x 1	x 1
Audio Decoder	FLAC / WAV / MP3 / WMA / AAC	FLAC / WAV / MP3 / WMA / AAC	FLAC / WAV / MP3 / WMA / AAC	FLAC / WAV / MP3 / WMA / AAC
Equalizer / Time Alignment / 3-Way X'Over	13 Band / Yes / Yes	13 Band / Yes / Yes	13 Band / Yes / Yes	13 Band / Yes / Yes
EMOTIONAL BASS	Yes	Yes	Yes	Yes
Audio Preout	3.5V / 3 Preouts	2.5V / 2 Preouts	3.5V / 3 Preouts	3.5V / 3 Preouts
Key Illumination / LCD — LED Backlight	3 Zone	3 Zone	3 Zone	3 Zone
Direct OEM Steering Remote Control	Yes	Yes	—	—
Remote Control	Included	Optional	Included	Included

USB AUDIO	KDC-230UI	KDC-130U	KMM-204	KMM-105
CD Player	Yes	Yes	—	—
USB Port	x 1	x 1	x 1	x 1
Audio Decoder	FLAC / WAV / MP3 / WMA	FLAC / WAV / MP3 / WMA	FLAC / WAV / MP3 / WMA	FLAC / WAV / MP3 / WMA
Equalizer / Time Alignment / 3-Way X'Over	3 Band / — / —	3 Band / — / —	3 Band / — / —	3 Band / — / —
Audio Preout	2.5V / 2 Preouts	2.5V / 2 Preouts	2.5V / 2 Preouts	2.5V / 1 Preout
Key Illumination / LCD - LED Backlight	3 Zone	3 Zone	3 Zone	3 Zone
Remote Control	Included	Included	Included	Included

X Series Flagship, Audiophile Grade.



Max 1600W

X802-5

Hi-Res Audio Certified, Compact D-Class 5ch Amplifier



KCA-RC01A
Optional Wired Remote Control

- One-side Terminals for easy installation
- Speaker Level Input with Signal Sensing Turn-on to upgrade sound quality without modifying the factory-installed audio system.

Output Coil with Magnetic Shield for subwoofer prevents magnetic flux from radiating from the coil and reduces noise resulting in high quality sound.

X series ultra-high grade amplifiers and speakers that deliver high density realistic sound and a spatial sound impression. The amplifiers and new 17cm component speaker KFC-XS1704 are precisely designed for High-Resolution Audio.


High-Resolution Audio

Presence, sound that reaches out and speaks to you

Faithfully reproducing the finely carved details from a Hi-Res Audio source, down to every last grain of sound. Portraying a rich sound that delivers a subtle ambience overflowing with presence and with no hint of muddiness, we have realized a mellow treble, vocals that convey every inflection of the original, and a full and incisive bass.



Magnetic Circuit with Aluminum Ring
The aluminum ring minimizes the unwanted distortion caused by electromagnetic induction of a voice coil, and it ensures a clear sound.



KFC-XS1704

Hi-Res Audio Certified, 17cm Component Speaker



Phase Correcting Diffuser

Its specially designed slits correct unwanted phase shift and deliver a more life-like sound experience while the concave shape on the center part of diffuser clearly reproduces a vocal sound image.



High Rigid Glass Fiber Diaphragm


The glass-fiber is a material with high strength and high toughness. The woven glass-fiber diaphragm cleanly provides all the detail and impact you expect.

Flat Top Titanium Diaphragm

enhances frequency response to over 50kHz resulting in high reproducibility of acoustic space.



High-Res Sound Refined Further with 2-Way Tweeter



2-Way Tweeter

This unique 2-way tweeter creates a wide range of sound as each of the 2 tweeters reproduces a different frequency band delivering clarity and fullness.

AMPLIFIER	XH901-5	XH401-4	X802-5	X302-4	X502-1
Maximum Output Power	1800W	800W	1600W	600W	1000W
RMS Power at 4Ω	60W x 4ch + 400W	75W x 4ch	50W x 4ch + 300W	50W x 4ch	300W
RMS Power at 2Ω	75W x 4ch + 600W	100W x 4ch	75W x 4ch + 500W	75W x 4ch	500W
Bridged at 4Ω	—	200W x 2ch	150W x 2ch + 300W	150W x 2ch	—
Frequency Response	20Hz - 50kHz	20Hz - 50kHz	20Hz - 50kHz	20Hz - 50kHz	20Hz - 200Hz
Signal to Noise Ratio	100dB	100dB	100dB	100dB	100dB
Low Pass Filter	50Hz - 200Hz, -24dB/oct.	50Hz - 200Hz, -12dB/oct (Low Range) 2.5kHz - 10kHz, -12dB/oct (High Range)	50Hz - 200Hz, -24dB/oct.	50Hz - 200Hz, -12dB/oct.	50Hz - 200Hz, -24dB/oct.
High Pass Filter	50Hz - 200Hz, -12dB/oct.	50Hz - 200Hz, -12dB/oct (Low Range) 2.5kHz - 10kHz, -12dB/oct (High Range)	50Hz - 200Hz, -12dB/oct.	50Hz - 200Hz, -12dB/oct.	—
Bass Boost	40Hz, 0+18dB (SUB)	—	40Hz, 0+18dB (SUB)	40Hz, 0+18dB (Bch)	40Hz, 0+18dB
Speaker Level Input	Yes	Yes	Yes	Yes	Yes
Cooling Fan	Yes	—	—	—	—
Dimensions (W x D x H)	260 x 169 x 51mm	220 x 169 x 35mm	248 x 169 x 53mm	213 x 149 x 53mm	213 x 149 x 53mm

SPEAKER	KFC-XS1704	KFC-X174	KFC-X694	KFC-HQ718
Size & System	17cm 3-Way Component	17cm 2-Way	6 x 9 inch 2-Way	7 x 10 inch 3-Way
Peak Input Power	180W	240W	300W	320W
RMS Input Power	45W	80W	130W	80W
Impedance	4Ω	4Ω	3Ω	4Ω
Sensitivity (dB at 1m)	83dB	88dB	89dB	93dB
Frequency Response	34Hz - 56kHz (-10dB)	69Hz - 21kHz	51Hz - 20kHz	22Hz - 33kHz
Woofer Magnet	Ferrite	Ferrite	Ferrite	Ferrite
Tweeter	Diaphragm: Soft Dome & Titanium Dome Magnet: Neodymium	Soft Dome Neodymium	Soft Dome Neodymium	PEI Balanced Dome Ferrite
Mounting Depth	57mm	56mm	85mm	82mm

SUBWOOFER	KFC-WPS1200F	KFC-WPS1000F	KFC-XW800F
Size	30cm Shallow Type	25cm Shallow Type	20cm Shallow Type
Peak Input Power	1400W	1000W	600W
RMS Input Power	350W	250W	150W
Impedance	4Ω	4Ω	4Ω
Sensitivity (dB at 1m)	91dB	90dB	78dB
Frequency Response	30Hz - 700Hz	35Hz - 800Hz	40Hz - 500Hz
Woofer	Diaphragm: Carbon-Glass Fiber Honeycomb Cone Magnet: Ferrite	Carbon-Glass Fiber Honeycomb Cone Ferrite	Carbon-Glass Fiber Honeycomb Cone Ferrite
Mounting Depth	100mm	85mm	70mm

PS

Series

Pure Performance.

PS series amplifiers and speakers integrate pure performance and excellence, continuing to uphold KENWOOD's philosophy of delivering super-live sound experience.

High Performance Sound, High Power RMS for Your Vehicle



Peak 320W RMS 100W
KFC-PS1696
16cm 2-Way Speaker



Sound Field Enhancer
The unique shape of the tweeter creates strong frontward sound as well as a wider sound field in 5kHz and upper frequencies.



Diamond Array Pattern Woofer Cone
enhances sound and reduces distortion.



Acoustic Sound Harmonizer
harmonizes different sounds from the woofer and tweeter and reproduces a natural sound.



Peak 700W RMS 160W
KFC-PS6996EX
6 x 9 inch 5-Way Speaker
Magnet Size: ø115 x t16



Factory Location Fit

The tweeter height is designed as low as possible, and the speaker units can fit within most of the spaces for factory speakers.



Black-painted Woofer Yoke Plate
efficiently releases heat inside the magnetic circuit and prevents the temperature of the voice coil from rising, resulting in improved durability.



New Shape of Woofer Damper
minimizes mechanical stress and makes sound response smoother.

Super Bass & Durability




Peak 2000W
KFC-PS3017W
30cm Subwoofer

X-Motif Cone with Diamond Array Pattern
controls resonance frequency and eliminates unnecessary high frequency sound to deliver powerful, solid bass.




Perfect Match
The PS series new subwoofer KFC-PS3017W is precisely power matched with the X series amplifier X502-1.



• One-side Terminals
• Speaker Level Input with Signal Sensing Turn-on to upgrade sound quality without modifying the factory-installed audio system.

Max 1000W
KAC-PS704EX
AB-Class 4ch Amplifier



Cooling Fan
and increased weight of aluminum die cast ensure durability.

SPEAKER	KFC-PS1696 / PS1396 / PS1096	KFC-PS6996EX / PS6996 / PS6986 / PS6976	KFC-PS170C
Size & System	16cm / 13cm / 10cm, 2-Way	6 x 9 inch, 5-Way / 5-Way / 4-Way / 3-Way	17cm Component
Peak Input Power	320W / 320W / 220W	700W / 650W / 600W / 550W	400W
RMS Input Power	100W / 75W / 50W	160W / 150W / 140W / 130W	80W
Impedance	4Ω	4Ω	4Ω
Sensitivity (dB at 1m)	88dB / 85dB / 85dB	88dB	86dB
Frequency Response	75Hz - 24kHz / 80Hz - 25kHz / 114Hz - 25kHz	55Hz / 58Hz / 60Hz / 63Hz - 22kHz	58Hz - 22kHz
Woofer Magnet	Ferrite	Ferrite	Ferrite
Tweeter	Diaphragm: Balanced Dome Magnet: Neodymium	Balanced Dome Ferrite	Soft Dome Neodymium
Mounting Depth	48mm / 46mm / 43.4mm	81.5mm / 80.5mm / 80.5mm / 80.5mm	56mm

SUBWOOFER	KFC-PS3017W	KFC-PS2517W
Size	30cm	25cm
Peak Input Power	2000W	1300W
RMS Input Power	400W	400W
Impedance	4Ω	4Ω
Sensitivity (dB at 1m)	85dB	84dB
Frequency Response	29Hz - 300Hz	33Hz - 300Hz
Woofer	Diaphragm: Paper Magnet: Ferrite	Paper Ferrite
Mounting Depth	137mm	124mm

Durability Enhancement


Heat-resistant Aluminum Bobbin provides higher thermal conductivity.



ø122mm Close Yoke Design realizes larger magnetic circuit to increase heat radiation.



Newly-designed Airflow Control cools voice coil when air passes through.



Computer-optimized Dumper controls stress and increases mechanical durability.



Heat Flow

AMPLIFIER	KAC-PS704EX	KAC-PS404	KAC-PS702EX	KAC-PS917D
Maximum Output Power	1000W	550W	500W	2000W
RMS Power at 4Ω	70W x 4ch	40W x 4ch	70W x 2ch	500W
RMS Power at 2Ω	100W x 4ch	60W x 4ch	85W x 2ch	1000W
Bridged at 4Ω	200W x 2ch	130W x 2ch	170W x 1ch	—
Frequency Response	20Hz - 50kHz	20Hz - 50kHz	20Hz - 50kHz	20Hz - 200Hz
Signal to Noise Ratio	100dB	100dB	100dB	100dB
Low Pass Filter	50Hz - 200Hz, -24dB/oct.	50Hz - 200Hz, -24dB/oct.	80Hz, -18dB/oct.	50Hz - 200Hz, -24dB/oct.
High Pass Filter	80Hz, -12dB/oct.	80Hz, -12dB/oct.	—	—
Bass Boost	—	—	—	40Hz, 0+18dB
Speaker Level Input	Yes	Yes	Yes	Yes
Cooling Fan	Yes	—	—	—
Dimensions (W x D x H)	335 x 204 x 56mm	335 x 204 x 56mm	230 x 167 x 56mm	335 x 192 x 56mm

S Series Stage Sound.

If you are looking for an easy solution to improve sound quality while you drive, S series speakers are ideal for ease of installation. They will provide high-quality "stage" sound and enhance your driving experience.


Life-like Sound with Sound Field Enhancer



Peak 330W
KFC-S1676EX
16cm 2-Way Speaker
Magnet Size: ø85 x t12




Peak 500W
KFC-S6976EX
6 x 9 inch 3-Way Speaker
Magnet Size: ø90 x t12



Sound Field Enhancer
Unique shape of the tweeter creates strong frontward sound as well as wider sound field in 5kHz and upper frequencies. It results in life-like "Stage" sound.



Larger Magnetic Circuit
creates enough power to drive the woofer cone and reproduce high-density sound.



Shallow Depth
Easy to replace your factory speakers.


(KFC-S1676EX)

SPEAKER	KFC-S1676EX / S1666 / S1366 / S1066	KFC-S6976EX / S6966	KFC-S1656G / S1356G / S1056G	KFC-S1656 / S1056	KFC-E715P
Size & System	16cm / 16cm / 13cm / 10cm, 2-Way	6 x 9 inch 3-Way	16cm / 13cm / 10cm, Dual Cone (with Grille)	16cm / 10cm, Dual Cone	17cm Component
Peak Input Power	330W / 300W / 260W / 220W	500W / 400W	300W / 260W / 220W	300W / 220W	300W
RMS Input Power	60W / 30W / 30W / 21W	80W / 45W	30W / 30W / 21W	30W / 21W	30W
Impedance	4Ω	4Ω	4Ω	4Ω	4Ω
Sensitivity (dB at 1m)	87dB / 90dB / 89dB / 88dB	87dB / 91dB	90dB / 89dB / 88dB	90dB / 88dB	92dB
Frequency Response	80Hz / 40Hz / 45Hz / 50Hz - 22kHz	44Hz - 18kHz / 35Hz - 20kHz	40Hz / 45Hz / 50Hz - 18kHz	40Hz / 50Hz - 18kHz	30Hz - 22kHz
Woofer Magnet	Ferrite ø85 x t12 / ø80 x t10 / ø70 x t10 / ø70 x t10	Ferrite ø90 x t12 / ø80 x t10	Ferrite ø80 x t10 / ø70 x t10 / ø70 x t10	Ferrite ø80 x t10 / ø70 x t10	Ferrite
Tweeter	Diaphragm	Balanced Dome	—	—	PEI Balanced Dome
	Magnet	Neodymium	Ferrite	—	Neodymium
Mounting Depth	46.7mm / 43.2mm / 43.7mm / 43mm	79.3mm / 76.8mm	43mm / 43.5mm / 43mm	43mm	44mm

POWERED SUBWOOFER

Deep Bass from Small Enclosure


By using a down-firing subwoofer and superior technologies, the audio system generates high-quality sound and powerful bass while still being compact.



Max 400W
PA-W801B
20cm Powered Subwoofer in Ported Enclosure



Detachable DC Connector
The subwoofer box can be removed easily when you want to load big stuff in the trunk.




Strong Magnetic Circuit
with large magnet and optimized yoke reproduces deep bass sound even with a small box.

Amazing Performance from Compact Box



Max 250W
KSC-PSW8
20cm Compact Powered Subwoofer



Wired Remote Control



Installation under the seat

POWERED SUBWOOFER	PA-W801B	KSC-PSW8
Woofer Size	20cm with Box	20cm
Maximum Output Power	400W	250W
RMS Power	200W	150W
Low Pass Filter	50Hz - 200Hz, -18dB/oct.	50Hz - 125Hz, -12dB/oct.
Gain Control	Yes	Yes (on Remote)
Phase Control	0° / 180°	0° / 180° (on Remote)
Speaker Level Input	Yes	Yes
RCA Input	Yes	Yes
Dimensions (W x D x H)	450 x 150 x 300mm	350 x 240 x 75mm

SUBWOOFER	KFC-MW3000	KFC-W3010
Size	30cm	30cm
Peak Input Power	1200W	1000W
RMS Input Power	300W	200W
Impedance	4Ω	4Ω
Sensitivity (dB at 1m)	85dB	93dB
Frequency Response	36Hz - 300Hz	25Hz - 800Hz
Woofer	Diaphragm	PP Cone
	Magnet	Ferrite
Mounting Depth	147mm	135mm

JVCKENWOOD Corporation follows a policy of continuous advancement in technical development. For this reason the information contained in this catalogue, the specifications and designs are subject to change without prior notice.

- All screen pictures in the catalogue are simulated. iPhones, Android phones, USB memory devices, CDs or any other accessories shown in this catalogue are not supplied, and must be purchased separately.
- The ADAS function of DRV-N520 is for providing driving support to drivers and not for preventing accidents. Furthermore, it does not provide notifications of all hazards. Operation is not completely guaranteed even when the device is used correctly as described in the instruction manual. Please note that JVCKENWOOD bears no responsibility whatsoever for any losses incurred as a result.
- Use of the Apple CarPlay logo means that a vehicle user interface meets Apple performance standards. Apple is not responsible for the operation of this vehicle or its compliance with safety and regulatory standards. Please note that the use of this product with iPhone, iPod, or iPad may affect wireless performance. Apple CarPlay is a trademark of Apple Inc.
- "Made for iPod", and "Made for iPhone" mean that an electronic accessory has been designed to connect specifically to iPod, or iPhone, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with iPod, or iPhone may affect wireless performance. iPhone, iPod, iPod classic, iPod nano, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Lightning is a trademark of Apple Inc.
- Google, Android, Google Play, Android Auto, Waze and other related marks and logos are trademarks of Google LLC. Google Maps™ is a registered trademark of Google LLC.
- LDAC and LDAC logo are trademarks of Sony Corporation.
- DSD™ is a trademark or registered trademark of Sony Corporation.
- Wi-Fi is a registered trademark of Wi-Fi Alliance.
- The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by JVCKENWOOD Corporation is under license. Other trademarks and trade names are those of their respective owners.
- SPOTIFY and the Spotify logo are among the registered trademarks of Spotify AB.
- The Garmin logo is a trademark of Garmin Ltd. or its subsidiaries and is registered in one or more countries, including the U.S.
- The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries.
- DivX®, DivX Certified® and associated logos are trademarks of DivX, LLC and are used under license.
- microSDXC and microSDHC logos are trademarks of SD-3C LLC.



"Hi-Res Audio" Logo and "Hi-Res Audio Wireless" Logo are used under license from Japan Audio Society.

JVCKENWOOD ASIA HEADQUARTERS

1 ANG MO KIO STREET 63, SINGAPORE 569110

Products introduced in this catalogue may not be available in some regions.
Contact your local KENWOOD Electronics dealer for availability and/or details.



For Singapore



For India

Singapore: <http://www.kenwood.com/sg/>

Malaysia: <http://www.kenwood.com/my/>

Thailand: <http://www.kenwood.com/th/>

Australia: <http://www.kenwood.com/au/>

China: <http://www.kenwood.com/cn/>

India: <http://www.kenwood.com/india/>