

# KENWOOD

**V**EHICLE  
**I**NTTEGRATION  
**S**OLUTIONS

Technical support provided by,

**stinger**  
australia

P: 03 9847 0177

E: solutions@stingeraustralia.com.au

## DISASSEMBLY & INSTALLATION

### Installation Manual 2013-Up: Toyota Kluger



#### BKTO093 Contents

1x Fascia Panel

1x Antenna Adapter

OPTIONAL Extras Available from Stinger Australia  
Reverse Camera Retention (CTCAMTY2RT)  
USB Retention (MTAXTOYUSB)



Un-clip and remove the climate control with the panel it is attached to.



Un-clip the thin trim panel from the top and left side of the head unit.





Un-clip and remove the air vents on either side of the head unit.



Re-install the factory brackets onto the Kenwood head unit in the position shown.



Unscrew the 4 (10mm) bolts and remove the head unit.



BKTO093 requires a slight modification. Cut out the area shown.



Remove the brackets from the factory head unit and panel clips to re-use.



Connect the Kenwood harness and antenna adapter to the vehicles connectors. Also attached the optional USB and reverse camera interfaces if purchased separately.



Make all connections to the Kenwood head unit and mount the head unit to the factory mounting locations.



Attached the factory clips to the BKTO093 and clip into place. Then re-install everything in the reverse order to complete installation.

Before



After

